

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES



Slide In Frame

Practical and inexpensive solution for doublesided poster display for window or instore promotion. Silver anodised finish with 19/24mm wide profile, central PS back wall and UV - stable anti glare PVC sheets. Ideal for ceiling suspension - Posters insert from the top.


Einschubrahmen

Praktische und kostengünstige Alternative für die beidseitige Posterpräsentation im Fenster oder Innenbereich. Der Alu-Einschubrahmen mit 19/24 mm breitem Spezialprofil ist ideal für die Deckenabhängung. Einschub vertikal.

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES



ACCESSORIES ZUBEHÖR



(HSKR)
HANGING SET
ABHÄNGSET

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES

ARTICLE CODE	EAN / GTIN	POSTER SIZE	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT
ARTIKELCODE	EAN / GTIN	PLAKATFORMAT	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT
SFA4	8595578302912	A4 (210 x 297 mm)	203 x 290 mm	234 x 321 x 16 mm	0,5 kg
SFA3	8595578302929	A3 (297 x 420 mm)	290 x 413 mm	321 x 444 x 16 mm	0,8 kg
SFA2	8595578302936	A2 (420 x 594 mm)	388 x 562 mm	436 x 610 x 20 mm	1,5 kg
SFA1	8595578302943	A1 (594 x 841 mm)	562 x 809 mm	610 x 857 x 20 mm	2,3 kg
SFA0	8595578302950	A0 (841 x 1189 mm)	809 x 1157 mm	857 x 1205 x 20 mm	3,9 kg
SF50x70	8595578302967	500 x 700 mm	468 x 668 mm	516 x 716 x 20 mm	1,9 kg
SF70x100	8595578302974	700 x 1000 mm	668 x 968 mm	716 x 1016 x 20 mm	3,0 kg

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELCODE	PACKUNGS- GRÖßE	PACKUNGS- GEWICHT	STÜCK / PALETTE	PALETTEN- GEWICHT	VOLUMEN- GEWICHT	GÜRTEL	VERSANDART
SFA4	265 x 352 x 30 mm	0,7 kg	364	283 kg	0,56 kg	942 mm	UPS
SFA3	352 x 475 x 30 mm	1,0 kg	248	278 kg	1,00 kg	1242 mm	UPS
SFA2	468 x 645 x 28 mm	1,8 kg	144	279 kg	1,69 kg	1637 mm	UPS
SFA1	648 x 894 x 28 mm	3,1 kg	84	283 kg	3,24 kg	2246 mm	UPS
SFA0	890 x 1240 x 28 mm	5,6 kg	26	170 kg	6,18 kg	3076 mm	TOF
SF50x70	553 x 753 x 30 mm	2,4 kg	95	254 kg	2,50 kg	1919 mm	UPS
SF70x100	753 x 1053 x 35 mm	4,0 kg	52	233 kg	5,55 kg	2629 mm	TOF